

Radiant Dark WoltLab Style Manual

Version 1.2.1

I. Style Installation

Radiant Dark style needs to be installed as a package instead of importing it directly as a style. Follow carefully the instructions below to properly install this style.

- 1) Login to your WoltLab ACP.
- 2) Go to [Configuration](#) → [Packages](#)
- 3) Click on [+ INSTALL PACKAGE](#) → [UPLOAD PACKAGE](#)
- 4) Browse for the [com.forostyle.RadiantDark.tar.gz](#) file and click the [SUBMIT](#) button.
- 5) Once the package is installed, it will create six (6) styles under [Customization](#) → [Styles](#):
 - a. [Radiant Dark](#)
 - b. [Radiant Dark Blue](#)
 - c. [Radiant Dark Cyan](#)
 - d. [Radiant Dark Gray](#)
 - e. [Radiant Dark Green](#)
 - f. [Radiant Dark Orange](#)
- 6) In the [Customization](#) → [Styles](#), choose and set your desired default style ([Radiant Dark *** – Orange](#)).
- 7) Go to [ACP](#) → [Configuration](#) → [Radiant Dark](#) to set the values of your desired configuration options. Give more attention on the [Footer](#) tab since most of the options in that area need to be changed.

II. Upgrading from Version 1.1.0 To 1.2.1

In version **1.1.0**, the Radiant Dark style names are as follows:

- Radiant Dark
- *Radiant Dark 2*
- *Radiant Dark 3*
- *Radiant Dark 4*
- *Radiant Dark 5*
- *Radiant Dark 6*

In version **1.2.1**, **Radiant 2 – 6** are not used anymore. For a more easy-to-remember and recognizable style names, the following are used which represent its color scheme:

- Radiant Dark
- Radiant Dark Blue
- Radiant Dark Cyan
- Radiant Dark Gray
- Radiant Dark Green
- Radiant Dark Orange

The table below shows the equivalent style names in Radiant Dark 1.1.0 versus 1.2.1:

Radiant Dark 1.1.0 Style Names	Radiant Dark 1.2.0 Equivalent Style Names
Radiant Dark	Radiant Dark
Radiant Dark 2	Radiant Dark Gray
Radiant Dark 3	Radiant Dark Cyan
Radiant Dark 4	Radiant Dark Orange
Radiant Dark 5	Radiant Dark Green
Radiant Dark 6	Radiant Dark Blue

If you have modified **Radiant Dark 2 - 6** in version 1.1.0, you need to manually apply those modifications to the new equivalent style names in version 1.2.1.

For example, if you have templates, color or CSS modifications in **Radiant Dark 3**, you must manually apply those changes in **Radiant Dark Cyan**. Or if you have modified **Radiant Dark 5**, then you need to manually apply the changes in **Radiant Dark Green**.

After you have manually applied the style modifications on the equivalent style names in version 1.2.1, **Radiant Dark 2 - 6** can be safely disabled or remove from the styles list.

III. Changing the Logo

- 1) Create two logo graphics, one for the desktop version and the other one for the mobile version. We suggest the logo height to be 34 pixels.
- 2) Login to your WoltLab ACP.
- 3) Go to **Customization** → **Styles** → **Radiant Dark *** - Orange** → **Global Settings**.
- 4) Upload your logo for the **Page Logo** and **Page Logo (Mobile Version)** respectively, then click the Submit button.

IV. Manual Header Slider

The sliders that can be found in the "header" are manually coded in specific templates. By default, the sliders are used and are shown in the Dashboard, Forum, Blogs, Filebase and Gallery pages. Here's the list of the slider templates and the corresponding pages where it's shown:

Template Name	Page Shown
pageHeaderSlidesDashboard	Dashboard
pageHeaderSlidesForum	Forum List Page

pageHeaderSlidesBlog	Blog List Page
pageHeaderSlidesFiles	File List Page
pageHeaderSlidesGallery	Image List Page
pageHeaderSlidesCalendar	Calendar Page

By default, only the [pageHeaderSlidesDashboard](#) template has content and slides. The other slider templates listed above are just blank placeholder and DOES NOT have any content or slides in it. You must edit those mentioned templates if you want to put some slides and content into it.

Slider Template Code Markup

The HTML markup for the blank slider templates must follow the following format to render it correctly:

```
<div id="headerSlides" class="headerSlides headerSlidesLoading">
  <ul class="headerSlidesList">
    { * Slide 1 * }
    <li class="headerSlidesItem">
      <div class="layoutBoundary">
        <h2 class="headerSlidesItemTitle">Slide 1 Title</h2>
        <div class="headerSlidesItemContent">
          Slide 1 Content
        </div>
        <div class="headerSlidesItemAction">
          <a href="#" class="button">Slide 1 Action Button</a>
        </div>
      </div>
      
    </li>

    { * Slide 2* }
    <li class="headerSlidesItem">
      <div class="layoutBoundary">
        <h2 class="headerSlidesItemTitle">Slide 2 Title</h2>
        <div class="headerSlidesItemContent">
          Slide 2 Content
        </div>
      </div>
    </li>

    { * Slide 3 and so on... * }
  </ul>
</div>
```

Adding Slider To Other Pages

There maybe instances where you want to show the slider in other pages such as in the Articles list, Members list and among others. The following steps below will guide you on how to achieve that:

- 1) Determined and take note the [Page Identifier](#) of the page where you want to show the slider. For example, if we want to show the slider in the Articles list, its *Page Identifier* is [com.woltlab.wcf.ArticleList](#). Each page has a unique Page Identifier.

- 2) Create a new slider template under the **Radiant Dark*** - Orange** Template Group (**ACP** → **Customization** → **Templates** → **Add Template**). Let us call this template **pageHeaderSlidesArticles**. The code for this template should look like this:

```
<div id="headerSlides" class="headerSlides headerSlidesLoading">
  <ul class="headerSlidesList">
    { * Slide 1 * }
    <li class="headerSlidesItem">
      <div class="layoutBoundary">
        <h2 class="headerSlidesItemTitle">Slide 1 Title</h2>
        <div class="headerSlidesItemContent">
          Slide 1 Content
        </div>
        <div class="headerSlidesItemAction">
          <a href="#" class="button">Slide 1 Action Button</a>
        </div>
      </div>
      
    </li>

    { * Slide 2* }
    <li class="headerSlidesItem">
      <div class="layoutBoundary">
        <h2 class="headerSlidesItemTitle">Slide 2 Title</h2>
        <div class="headerSlidesItemContent">
          Slide 2 Content
        </div>
      </div>
    </li>

    { * Slide 3 and so on... * }
  </ul>
</div>
```

You just need to modify the content of the code above to suit your needs.

- 3) Go to **ACP** → **Customization** → **Templates** → **Radiant Dark*** - Orange** and click on the **pageHeader** template.
- 4) On the **pageHeader** template, find this code around LINE 43:

```
{if RADIANT_SLIDER}
```

Below it, add these lines of code which includes the new slider template (Step 2) on a specific page (Step 1):

```
{if $__wcf->getActivePage() != null && $__wcf->getActivePage()->identifier ==
'com.woltlab.wcf.ArticleList'}
  {include file='pageHeaderSlidesArticles'}
{/if}
```

v. Language Phrases

Radiant Dark added several **Language Phrases** that are used throughout the style. You need to change these phrases to reflect it to your own localization and usage. To edit the phrases, please do the following:

- 1) Login to your WoltLab ACP.
- 2) Go to **Customization** → **Phrases**
- 3) On the Category dropdown under Filter, select **wcf.RadiantDark.xxxxx** then click the Submit button.
- 4) Click on the phrase name you want to edit, provide a **Custom Value** then click the Submit button.